

プラスチックハウスⅡ類 小損害不填補3万円 被覆有

料率地域 区分	施設区分	危険段階 区分	平均損害率(*)の範囲		危険指数	基準共済掛 金率	共済掛金率
61	40	20	197.5	≦*	3.47	21.164	21.164
61	40	19	192.5	≦*< 197.5	3.41	20.785	20.785
61	40	18	187.5	≦*< 192.5	3.35	20.405	20.405
61	40	17	182.5	≦*< 187.5	3.29	20.026	20.026
61	40	16	177.5	≦*< 182.5	3.23	19.647	19.647
61	40	15	172.5	≦*< 177.5	3.16	19.268	19.268
61	40	14	167.5	≦*< 172.5	3.10	18.889	18.889
61	40	13	162.5	≦*< 167.5	3.04	18.509	18.509
61	40	12	157.5	≦*< 162.5	2.98	18.130	18.130
61	40	11	152.5	≦*< 157.5	2.91	17.751	17.751
61	40	10	147.5	≦*< 152.5	2.85	17.372	17.372
61	40	9	142.5	≦*< 147.5	2.79	16.993	16.993
61	40	8	137.5	≦*< 142.5	2.70	16.462	16.462
61	40	7	132.5	≦*< 137.5	2.67	16.234	16.234
61	40	6	127.5	≦*< 132.5	2.60	15.855	15.855
61	40	5	122.5	≦*< 127.5	2.54	15.476	15.476
61	40	4	117.5	≦*< 122.5	2.47	15.021	15.021
61	40	3	112.5	≦*< 117.5	2.42	14.717	14.717
61	40	2	107.5	≦*< 112.5	2.34	14.262	14.262
61	40	1	102.5	≦*< 107.5	2.27	13.807	13.807
61	40	0	97.5	≦*< 102.5	2.20	13.428	13.428
61	40	-1	92.5	≦*< 97.5	2.17	13.201	13.201
61	40	-2	87.5	≦*< 92.5	2.11	12.821	12.821
61	40	-3	82.5	≦*< 87.5	2.04	12.442	12.442
61	40	-4	77.5	≦*< 82.5	1.98	12.063	12.063
61	40	-5	72.5	≦*< 77.5	1.92	11.684	11.684
61	40	-6	67.5	≦*< 72.5	1.86	11.305	11.305
61	40	-7	62.5	≦*< 67.5	1.79	10.925	10.925
61	40	-8	57.5	≦*< 62.5	1.73	10.546	10.546
61	40	-9	52.5	≦*< 57.5	1.67	10.167	10.167
61	40	-10	47.5	≦*< 52.5	1.61	9.788	9.788
61	40	-11	42.5	≦*< 47.5	1.54	9.409	9.409
61	40	-12	37.5	≦*< 42.5	1.48	9.029	9.029
61	40	-13	32.5	≦*< 37.5	1.42	8.650	8.650
61	40	-14	27.5	≦*< 32.5	1.36	8.271	8.271
61	40	-15	22.5	≦*< 27.5	1.30	7.892	7.892
61	40	-16	17.5	≦*< 22.5	1.23	7.513	7.513
61	40	-17	12.5	≦*< 17.5	1.17	7.133	7.133
61	40	-18	7.5	≦*< 12.5	1.11	6.754	6.754
61	40	-19	2.5	≦*< 7.5	1.05	6.375	6.375
61	40	-20	0	≦*< 2.5	1.00	6.091	6.091

プラスチックハウスⅡ類 小損害不填補10万円 被覆有

料率地域 区分	施設区分	危険段階 区分	平均損害率(*)の範囲		危険指数	基準共済掛 金率	共済掛金率
61	40	20	197.5	≦*	3.47	8.656	8.656
61	40	19	192.5	≦*< 197.5	3.41	8.501	8.501
61	40	18	187.5	≦*< 192.5	3.35	8.346	8.346
61	40	17	182.5	≦*< 187.5	3.29	8.191	8.191
61	40	16	177.5	≦*< 182.5	3.23	8.036	8.036
61	40	15	172.5	≦*< 177.5	3.16	7.881	7.881
61	40	14	167.5	≦*< 172.5	3.10	7.726	7.726
61	40	13	162.5	≦*< 167.5	3.04	7.571	7.571
61	40	12	157.5	≦*< 162.5	2.98	7.416	7.416
61	40	11	152.5	≦*< 157.5	2.91	7.260	7.260
61	40	10	147.5	≦*< 152.5	2.85	7.105	7.105
61	40	9	142.5	≦*< 147.5	2.79	6.950	6.950
61	40	8	137.5	≦*< 142.5	2.70	6.733	6.733
61	40	7	132.5	≦*< 137.5	2.67	6.640	6.640
61	40	6	127.5	≦*< 132.5	2.60	6.485	6.485
61	40	5	122.5	≦*< 127.5	2.54	6.330	6.330
61	40	4	117.5	≦*< 122.5	2.47	6.144	6.144
61	40	3	112.5	≦*< 117.5	2.42	6.020	6.020
61	40	2	107.5	≦*< 112.5	2.34	5.834	5.834
61	40	1	102.5	≦*< 107.5	2.27	5.647	5.647
61	40	0	97.5	≦*< 102.5	2.20	5.492	5.492
61	40	-1	92.5	≦*< 97.5	2.17	5.399	5.399
61	40	-2	87.5	≦*< 92.5	2.11	5.244	5.244
61	40	-3	82.5	≦*< 87.5	2.04	5.089	5.089
61	40	-4	77.5	≦*< 82.5	1.98	4.934	4.934
61	40	-5	72.5	≦*< 77.5	1.92	4.779	4.779
61	40	-6	67.5	≦*< 72.5	1.86	4.624	4.624
61	40	-7	62.5	≦*< 67.5	1.79	4.469	4.469
61	40	-8	57.5	≦*< 62.5	1.73	4.314	4.314
61	40	-9	52.5	≦*< 57.5	1.67	4.158	4.158
61	40	-10	47.5	≦*< 52.5	1.61	4.003	4.003
61	40	-11	42.5	≦*< 47.5	1.54	3.848	3.848
61	40	-12	37.5	≦*< 42.5	1.48	3.693	3.693
61	40	-13	32.5	≦*< 37.5	1.42	3.538	3.538
61	40	-14	27.5	≦*< 32.5	1.36	3.383	3.383
61	40	-15	22.5	≦*< 27.5	1.30	3.228	3.228
61	40	-16	17.5	≦*< 22.5	1.23	3.073	3.073
61	40	-17	12.5	≦*< 17.5	1.17	2.918	2.918
61	40	-18	7.5	≦*< 12.5	1.11	2.763	2.763
61	40	-19	2.5	≦*< 7.5	1.05	2.607	2.607
61	40	-20	0	≦*< 2.5	1.00	2.491	2.491

プラスチックハウスⅡ類 小損害不填補20万円 被覆有

料率地域 区分	施設区分	危険段階 区分	平均損害率(*)の範囲		危険指数	基準共済掛 金率	共済掛金率
61	40	20	197.5	≦*	3.47	3.021	3.021
61	40	19	192.5	≦*< 197.5	3.41	2.966	2.966
61	40	18	187.5	≦*< 192.5	3.35	2.912	2.912
61	40	17	182.5	≦*< 187.5	3.29	2.858	2.858
61	40	16	177.5	≦*< 182.5	3.23	2.804	2.804
61	40	15	172.5	≦*< 177.5	3.16	2.750	2.750
61	40	14	167.5	≦*< 172.5	3.10	2.696	2.696
61	40	13	162.5	≦*< 167.5	3.04	2.642	2.642
61	40	12	157.5	≦*< 162.5	2.98	2.588	2.588
61	40	11	152.5	≦*< 157.5	2.91	2.534	2.534
61	40	10	147.5	≦*< 152.5	2.85	2.479	2.479
61	40	9	142.5	≦*< 147.5	2.79	2.425	2.425
61	40	8	137.5	≦*< 142.5	2.70	2.349	2.349
61	40	7	132.5	≦*< 137.5	2.67	2.317	2.317
61	40	6	127.5	≦*< 132.5	2.60	2.263	2.263
61	40	5	122.5	≦*< 127.5	2.54	2.209	2.209
61	40	4	117.5	≦*< 122.5	2.47	2.144	2.144
61	40	3	112.5	≦*< 117.5	2.42	2.101	2.101
61	40	2	107.5	≦*< 112.5	2.34	2.036	2.036
61	40	1	102.5	≦*< 107.5	2.27	1.971	1.971
61	40	0	97.5	≦*< 102.5	2.20	1.917	1.917
61	40	-1	92.5	≦*< 97.5	2.17	1.884	1.884
61	40	-2	87.5	≦*< 92.5	2.11	1.830	1.830
61	40	-3	82.5	≦*< 87.5	2.04	1.776	1.776
61	40	-4	77.5	≦*< 82.5	1.98	1.722	1.722
61	40	-5	72.5	≦*< 77.5	1.92	1.668	1.668
61	40	-6	67.5	≦*< 72.5	1.86	1.613	1.613
61	40	-7	62.5	≦*< 67.5	1.79	1.559	1.559
61	40	-8	57.5	≦*< 62.5	1.73	1.505	1.505
61	40	-9	52.5	≦*< 57.5	1.67	1.451	1.451
61	40	-10	47.5	≦*< 52.5	1.61	1.397	1.397
61	40	-11	42.5	≦*< 47.5	1.54	1.343	1.343
61	40	-12	37.5	≦*< 42.5	1.48	1.289	1.289
61	40	-13	32.5	≦*< 37.5	1.42	1.235	1.235
61	40	-14	27.5	≦*< 32.5	1.36	1.180	1.180
61	40	-15	22.5	≦*< 27.5	1.30	1.126	1.126
61	40	-16	17.5	≦*< 22.5	1.23	1.072	1.072
61	40	-17	12.5	≦*< 17.5	1.17	1.018	1.018
61	40	-18	7.5	≦*< 12.5	1.11	0.964	0.964
61	40	-19	2.5	≦*< 7.5	1.05	0.910	0.910
61	40	-20	0	≦*< 2.5	1.00	0.869	0.869

プラスチックハウスⅡ類 小損害不填補3万円 被覆無

料率地域 区分	施設区分	危険段階 区分	平均損害率(*)の範囲		危険指数	基準共済掛 金率	共済掛金率
61	40	20	197.5	≦*	3.47	0.090	0.090
61	40	19	192.5	≦*< 197.5	3.41	0.088	0.088
61	40	18	187.5	≦*< 192.5	3.35	0.087	0.087
61	40	17	182.5	≦*< 187.5	3.29	0.085	0.085
61	40	16	177.5	≦*< 182.5	3.23	0.083	0.083
61	40	15	172.5	≦*< 177.5	3.16	0.082	0.082
61	40	14	167.5	≦*< 172.5	3.10	0.080	0.080
61	40	13	162.5	≦*< 167.5	3.04	0.079	0.079
61	40	12	157.5	≦*< 162.5	2.98	0.077	0.077
61	40	11	152.5	≦*< 157.5	2.91	0.075	0.075
61	40	10	147.5	≦*< 152.5	2.85	0.074	0.074
61	40	9	142.5	≦*< 147.5	2.79	0.072	0.072
61	40	8	137.5	≦*< 142.5	2.70	0.070	0.070
61	40	7	132.5	≦*< 137.5	2.67	0.069	0.069
61	40	6	127.5	≦*< 132.5	2.60	0.067	0.067
61	40	5	122.5	≦*< 127.5	2.54	0.066	0.066
61	40	4	117.5	≦*< 122.5	2.47	0.064	0.064
61	40	3	112.5	≦*< 117.5	2.42	0.062	0.062
61	40	2	107.5	≦*< 112.5	2.34	0.061	0.061
61	40	1	102.5	≦*< 107.5	2.27	0.059	0.059
61	40	0	97.5	≦*< 102.5	2.20	0.057	0.057
61	40	-1	92.5	≦*< 97.5	2.17	0.056	0.056
61	40	-2	87.5	≦*< 92.5	2.11	0.054	0.054
61	40	-3	82.5	≦*< 87.5	2.04	0.053	0.053
61	40	-4	77.5	≦*< 82.5	1.98	0.051	0.051
61	40	-5	72.5	≦*< 77.5	1.92	0.050	0.050
61	40	-6	67.5	≦*< 72.5	1.86	0.048	0.048
61	40	-7	62.5	≦*< 67.5	1.79	0.046	0.046
61	40	-8	57.5	≦*< 62.5	1.73	0.045	0.045
61	40	-9	52.5	≦*< 57.5	1.67	0.043	0.043
61	40	-10	47.5	≦*< 52.5	1.61	0.042	0.042
61	40	-11	42.5	≦*< 47.5	1.54	0.040	0.040
61	40	-12	37.5	≦*< 42.5	1.48	0.038	0.038
61	40	-13	32.5	≦*< 37.5	1.42	0.037	0.037
61	40	-14	27.5	≦*< 32.5	1.36	0.035	0.035
61	40	-15	22.5	≦*< 27.5	1.30	0.033	0.033
61	40	-16	17.5	≦*< 22.5	1.23	0.032	0.032
61	40	-17	12.5	≦*< 17.5	1.17	0.030	0.030
61	40	-18	7.5	≦*< 12.5	1.11	0.029	0.029
61	40	-19	2.5	≦*< 7.5	1.05	0.027	0.027
61	40	-20	0	≦*< 2.5	1.00	0.026	0.026

プラスチックハウスⅡ類 小損害不填補10万円 被覆無

料率地域 区分	施設区分	危険段階 区分	平均損害率(*)の範囲		危険指数	基準共済掛 金率	共済掛金率
61	40	20	197.5	≦*	3.47	0.059	0.059
61	40	19	192.5	≦*< 197.5	3.41	0.058	0.058
61	40	18	187.5	≦*< 192.5	3.35	0.057	0.057
61	40	17	182.5	≦*< 187.5	3.29	0.056	0.056
61	40	16	177.5	≦*< 182.5	3.23	0.055	0.055
61	40	15	172.5	≦*< 177.5	3.16	0.054	0.054
61	40	14	167.5	≦*< 172.5	3.10	0.053	0.053
61	40	13	162.5	≦*< 167.5	3.04	0.052	0.052
61	40	12	157.5	≦*< 162.5	2.98	0.050	0.050
61	40	11	152.5	≦*< 157.5	2.91	0.049	0.049
61	40	10	147.5	≦*< 152.5	2.85	0.048	0.048
61	40	9	142.5	≦*< 147.5	2.79	0.047	0.047
61	40	8	137.5	≦*< 142.5	2.70	0.046	0.046
61	40	7	132.5	≦*< 137.5	2.67	0.045	0.045
61	40	6	127.5	≦*< 132.5	2.60	0.044	0.044
61	40	5	122.5	≦*< 127.5	2.54	0.043	0.043
61	40	4	117.5	≦*< 122.5	2.47	0.042	0.042
61	40	3	112.5	≦*< 117.5	2.42	0.041	0.041
61	40	2	107.5	≦*< 112.5	2.34	0.040	0.040
61	40	1	102.5	≦*< 107.5	2.27	0.038	0.038
61	40	0	97.5	≦*< 102.5	2.20	0.037	0.037
61	40	-1	92.5	≦*< 97.5	2.17	0.037	0.037
61	40	-2	87.5	≦*< 92.5	2.11	0.036	0.036
61	40	-3	82.5	≦*< 87.5	2.04	0.035	0.035
61	40	-4	77.5	≦*< 82.5	1.98	0.034	0.034
61	40	-5	72.5	≦*< 77.5	1.92	0.033	0.033
61	40	-6	67.5	≦*< 72.5	1.86	0.031	0.031
61	40	-7	62.5	≦*< 67.5	1.79	0.030	0.030
61	40	-8	57.5	≦*< 62.5	1.73	0.029	0.029
61	40	-9	52.5	≦*< 57.5	1.67	0.028	0.028
61	40	-10	47.5	≦*< 52.5	1.61	0.027	0.027
61	40	-11	42.5	≦*< 47.5	1.54	0.026	0.026
61	40	-12	37.5	≦*< 42.5	1.48	0.025	0.025
61	40	-13	32.5	≦*< 37.5	1.42	0.024	0.024
61	40	-14	27.5	≦*< 32.5	1.36	0.023	0.023
61	40	-15	22.5	≦*< 27.5	1.30	0.022	0.022
61	40	-16	17.5	≦*< 22.5	1.23	0.021	0.021
61	40	-17	12.5	≦*< 17.5	1.17	0.020	0.020
61	40	-18	7.5	≦*< 12.5	1.11	0.019	0.019
61	40	-19	2.5	≦*< 7.5	1.05	0.018	0.018
61	40	-20	0	≦*< 2.5	1.00	0.017	0.017

プラスチックハウスⅡ類 小損害不填補20万円 被覆無

料率地域 区分	施設区分	危険段階 区分	平均損害率(*)の範囲		危険指数	基準共済掛 金率	共済掛金率
61	40	20	197.5	≦*	3.47	0.038	0.038
61	40	19	192.5	≦*< 197.5	3.41	0.037	0.037
61	40	18	187.5	≦*< 192.5	3.35	0.037	0.037
61	40	17	182.5	≦*< 187.5	3.29	0.036	0.036
61	40	16	177.5	≦*< 182.5	3.23	0.035	0.035
61	40	15	172.5	≦*< 177.5	3.16	0.034	0.034
61	40	14	167.5	≦*< 172.5	3.10	0.034	0.034
61	40	13	162.5	≦*< 167.5	3.04	0.033	0.033
61	40	12	157.5	≦*< 162.5	2.98	0.032	0.032
61	40	11	152.5	≦*< 157.5	2.91	0.032	0.032
61	40	10	147.5	≦*< 152.5	2.85	0.031	0.031
61	40	9	142.5	≦*< 147.5	2.79	0.030	0.030
61	40	8	137.5	≦*< 142.5	2.70	0.029	0.029
61	40	7	132.5	≦*< 137.5	2.67	0.029	0.029
61	40	6	127.5	≦*< 132.5	2.60	0.028	0.028
61	40	5	122.5	≦*< 127.5	2.54	0.028	0.028
61	40	4	117.5	≦*< 122.5	2.47	0.027	0.027
61	40	3	112.5	≦*< 117.5	2.42	0.026	0.026
61	40	2	107.5	≦*< 112.5	2.34	0.026	0.026
61	40	1	102.5	≦*< 107.5	2.27	0.025	0.025
61	40	0	97.5	≦*< 102.5	2.20	0.024	0.024
61	40	-1	92.5	≦*< 97.5	2.17	0.024	0.024
61	40	-2	87.5	≦*< 92.5	2.11	0.023	0.023
61	40	-3	82.5	≦*< 87.5	2.04	0.022	0.022
61	40	-4	77.5	≦*< 82.5	1.98	0.022	0.022
61	40	-5	72.5	≦*< 77.5	1.92	0.021	0.021
61	40	-6	67.5	≦*< 72.5	1.86	0.020	0.020
61	40	-7	62.5	≦*< 67.5	1.79	0.020	0.020
61	40	-8	57.5	≦*< 62.5	1.73	0.019	0.019
61	40	-9	52.5	≦*< 57.5	1.67	0.018	0.018
61	40	-10	47.5	≦*< 52.5	1.61	0.018	0.018
61	40	-11	42.5	≦*< 47.5	1.54	0.017	0.017
61	40	-12	37.5	≦*< 42.5	1.48	0.016	0.016
61	40	-13	32.5	≦*< 37.5	1.42	0.015	0.015
61	40	-14	27.5	≦*< 32.5	1.36	0.015	0.015
61	40	-15	22.5	≦*< 27.5	1.30	0.014	0.014
61	40	-16	17.5	≦*< 22.5	1.23	0.013	0.013
61	40	-17	12.5	≦*< 17.5	1.17	0.013	0.013
61	40	-18	7.5	≦*< 12.5	1.11	0.012	0.012
61	40	-19	2.5	≦*< 7.5	1.05	0.011	0.011
61	40	-20	0	≦*< 2.5	1.00	0.011	0.011